Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(("6173311") or ("6801949")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 09:13
L2	2	("6249801").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 09:13
L3	6	L1 L2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:38
L5	8	L3 or "20010034792"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:40
L6	4	L5 and ((number or amount or value) with (connect$4 or request$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:44
L7	0	L5 and ((number or amount or value) with (connect$4 or request$4) with SSL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:41
L8	4	L5 and ((number or amount or value or pool) with (connect$4 or request$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:28
L9	2	L3 and ((max$6 or threshold$4 or amount$4 or limit$4 or size or sizing) with (request$4 or connect$6 or transfer$4 or thread$4 or task$4 or load$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:34
L10	2	L3 and ((max$6 or threshold$4 or amount$4 or limit$4 or size or sizing or level$4) with (request$4 or connect$6 or transfer$4 or thread$4 or task$4 or load$4 or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:37

L11	4	L3 and (setup or "set-up" or configur$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:43
L12	3	L3 and ((traffic or connect$4 or load$4) with (max$6 or limit$6 or threshold$6 or amount$6 or number$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:44
L13	2	L3 and ((traffic or connect$4 or load$4) with (max$6 or limit$6 or threshold$6 or amount$6 or number$6) same (setup or "set-up" or configur$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:45
L14	2	L3 and (((traffic or connect$4 or load$4) with (max$6 or limit$6 or threshold$6 or amount$6 or number$6)) same (setup or "set-up" or configur$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 10:45
L15	2	"20020103846"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 11:22
S1	3658169	secur$5 or protect$4 or guard$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:09
S2	9356593	socket$3 or port$4 or connect$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:50
S3	10560	SSL or (secure near2 socket)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:50
S4	66796	encrypt$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:50
S5	29778	decrypt$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:19

S80	4	"20020112152" "20020120760"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 09:57
S81	8	(("5802178") or ("6343324") or ("6367009") or ("6732269")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 09:58
S82	10	(("5802178") or ("6343324") or ("6367009") or ("6732269") or ("6681327")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/19 09:58
S83	11	(S80 or S81) and ((CPU or processor or computer or terminal or server) with (utiliz$4 or load$4 or session or request$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:30
S84	4	(S80 or S81) and (server with parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:31
S85	2	(S80 or S81) and (server with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 10:31
S86	2862571	monitor$4 or evaluat$4 or watch$4 or observ$4 or manag$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:17
S87	9803117	connect$5 or transmit$4 or exchang$5 or messag$4 or task$4 or transfer$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:23
S88	7487672	adjust$5 or chang$5 or modif$6 or automatic$4 or dynamic$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:19
S89	6076985	configurat$5 or "set-up" or setup or set$5 or assign$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:20

S90	10060970	number$5 or value or amount or size or sizing or space	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:20
S91	239750	SSL or (secur$4 near3 (socket$4 or port$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:22
S92	201	S86 near5 S91 near5 S87	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:22
S93	113268	S88 near5 S89 near5 S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:24
S94	14	S92 and S93 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:48
S95	276	713/151.ccls. and @ad<"200010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:31
S96	223	S95 and (SSL or socket$4 or manag$4 or monitor$4 or watch$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:51
S97	165	713/151.ccls. and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 09:51
S98	130	S97 and (SSL or socket$4 or manag$4 or monitor$4 or watch$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:39
S99	124	(monitor$4 or manag$6 or control$4) with (SSL or (secur$4 with socket)) with (number$4 or amount or size or space)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:31

S10 0	72	S99 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:36
S10 1	129	S97 and (SSL or socket$4 or manag$4 or monitor$4 or watch$4) and (computer or network or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:40
S10 2	61	S99 and (computer or network or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/13 10:40
S10 3	3	"6681327"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 07:48
S10 4	1	"5987140".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:49
S10 5	15	("5987140").URPN.	USPAT	OR	ON	2005/09/14 07:49
S10 6	1	"5903724".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:49
S10 7	18	("5903724").URPN.	USPAT	OR	ON	2005/09/14 07:50
S10 8	1	"5854841".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:50
S10 9	5	("5854841").URPN.	USPAT	OR	ON	2005/09/14 07:50
S11 0	1	"5828847".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:50
S11 1	44	("5828847").URPN.	USPAT	OR	ON	2005/09/14 07:50
S11 2	1	"5822563".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:51
S11 3	8	("5822563").URPN.	USPAT	OR	ON	2005/09/14 07:51
S11 4	1	"5819020".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:52
S11 5	45	("5819020").URPN.	USPAT	OR	ON	2005/09/14 07:52
S11 6	1	"5812768".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:53
S11 7	29	("5812768").URPN.	USPAT	OR	ON	2005/09/14 07:53

S11 8	1	"5774660".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:55
S11 9	345	("5774660").URPN.	USPAT	OR	ON	2005/09/14 07:55
S12 0	1	"5757924".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:55
S12 1	36	("5757924").URPN.	USPAT	OR	ON	2005/09/14 07:55
S12 2	1	"5751971".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:56
S12 3	84	("5751971").URPN.	USPAT	OR	ON	2005/09/14 07:56
S12 4	1	"5748897".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:57
S12 5	66	("5748897").URPN.	USPAT	OR	ON	2005/09/14 07:57
S12 6	1	"5708832".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:57
S12 7	14	("5708832").URPN.	USPAT	OR	ON	2005/09/14 07:57
S12 8	1	"5708780".PN.	USPAT; USOCR	OR	ON	2005/09/14 07:57
S12 9	326	("5708780").URPN.	USPAT	OR	ON	2005/09/14 07:59
S13 0	969	S103 S104 S105 S106 S107 S108 S109 S110 S111 S112 S113 S114 S115 S116 S117 S118 S119 S120 S121 S122 S123 S124 S125 S126 S127 S128 S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:01
S13 1	85	S130 and (SSL with (monitor$5 or control$5 or serv$4 or manag$6 or watch$5 or observ$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:02
S13 2	82	S131 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 08:37
S13 3	13	("6385644").URPN.	USPAT	OR	ON	2005/09/14 08:31
S13 4	852	SSL with (number or volume or size or amount or traffic or frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:00

S13 5	335	S134 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:02
S13 6	91	S135 and (SSL with (monitor$5 or watch$5 or observ$5 or control$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:03
S13 7	41	S136 and ((memory or processor or CPU or computer or server) with (utilizat$5 or "use " or availabil$5 or space or usage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:03
S13 8	0	("6732269").URPN.	USPAT	OR	ON	2005/09/14 09:00
S13 9	415	SSL with (number or volume or size or amount or traffic or frequency) with (connect$4 or transfer$4 or request$4 or transmit$5 or transmis$5 or exchang$4 or port$4 or socket$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:02
S14 0	115	S139 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:10
S14 1	77	S140 and ((memory or processor or CPU or computer or server) with (utilizat$5 or "use " or availabil$5 or space or usage))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:03
S14 2	21	S141 and S136	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:04
S14 3	38	("5825890").URPN.	USPAT	OR	ON	2005/09/14 09:09
S14 4	36	S143 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:27
S14 5	36	S144 and (number or amount or value or size or traffic or usage or availability or traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:10

S146	24	("6615258").URPN.	USPAT	OR	ON	2005/09/14 09:25
S147	119	load$4 with balanc$4 with (SSL or (secur$6 with (socket$4 or port)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:27
S148	34	S147 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:44
S149	10	(load$4 with balanc$4 with (SSL or (secur$6 with (socket$4 or port)))).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:27
S150	4	S149 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:28
S151	25	S148 and (computer$4 or network$4 or Internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:44
S152	276	713/151.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 09:44
S153	165	S152 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:44
S154	3	"6801949"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:14
S155	2	S154 and (socket$4 or port or SSL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:16

S15 6	1	S154 and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 12:14
S15 7	1	S154 and (encrypt$5 or ecommerce or fund$5 or secur$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:06
S15 8	3	S154 and (usage or availability or traffic or used or utilization)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:14
S15 9	3	S154 and (proxy or calculat$4 or traffic or load or balance or arithmat$4 or determin$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:21
S16 0	1	S154 and ((number or amount or load) with (server or connect$4 or traffic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:38
S16 1	1	S154 and (maximum or limit$4 or "how many " or threshold$4 or overload$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:52
S16 2	507	713/153.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:44
S16 3	277	S162 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:52
S16 4	43	S163 and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:51
S16 5	118	SSL near3 proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 13:51

S16 6	36	S165 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:09
S16 8	19	S166 and ((amount or number$4 or traffic or load or maximum or limit$4 or "how many " or threshold$4 or overload$4) with (connect$4 or exchang$4 or transfer$4 or transmis$4 or transmit$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:07
S16 9	210	SSL with (limit$4 or maximum or threshold$4) with (connect$6 or transfer$5 or exchang$5 or email$5 or traffic or transmis$5 or transmit$5 or port or socket$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:09
S17 0	215	SSL with (limit$4 or maximum or threshold$4) with (connect$6 or transfer$5 or exchang$5 or email$5 or traffic or transmis$5 or transmit$5 or port or socket$5 or link$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:18
S17 1	56	S170 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:19
S17 2	354	(secur$4 near2 socket) with (limit$4 or maximum or threshold$4) with (connect$6 or transfer$5 or exchang$5 or email$5 or traffic or transmis$5 or transmit$5 or port or socket$5 or link$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:18
S17 3	169	S172 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:32
S17 4	2	"20020103846"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:09
S17 5	4	(("6173311") or ("6801949")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 07:10

S17 6	6	S174 S175	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:12
S17 7	2	("6249801").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/15 07:13
S17 8	6	S175 S177	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:14
S17 9	3	S178 and ((memory or RAM or CPU or server or computer or processor) with (usage or availability or amount or number))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:21
S18 0	3	S178 and (number or amount or value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:25
S18 1	1	S178 and SSL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:25
S18 2	2	S178 and proxy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:27
S18 3	1	S178 and (proxy with (adjust$4 or modif$4 or increas$4 or enlarg$4 or larg$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:32
S18 4	9	(SSL with proxy with (adjust$4 or modif$4 or increas$4 or enlarg$4 or larg$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:32
S18 5	3	S184 and @ad<"20010627"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 07:33